

GP500

PART ECO

Ground Lowering, Anti-Vandal,
Robust and Easy-To-Use
Twin Axle Mobile Welfare
Accommodation Unit.



**HSE
& CDM
COMPLIANT**

PART ECO

MOBILE

SEATS UP TO
12-14 PEOPLE



INNOVATION THAT WORKS.




Well equipped canteen and seating area for up to 12-14 people



Toilet wash area



Warm room/ Generator area



Delivery of hot water

Comfortable, Compact and HSE compliant.

The **groundhog** mobile GP500 Part Eco is robust and easy to use and also offers a larger seating area, accommodating up to 12-14 people – *ideal for flexible on-site applications.*

The units provide pleasant and safe working environments, ideal for rental companies and contractors.

Easily towed, one man operation secured and manoeuvred on site, in less than 3 minutes. Its many safety features make it a **high secure and money saving choice of welfare unit.**

The **GP500 Part Eco** offers the legendary robustness and ease of use of the standard Groundhog Mobile welfare unit whilst offering a green environmental solution.



Recycled non-slip flooring



Fully hot-dipped galvanised chassis



230V 1kW air blown heater



Warm water from an on-board 230V heating system



12V LED lighting with PIR



12V sockets & USB port connections



Welded boss for removable low level lifting eyes



Fuel Active system



Lowered & secured in 3 minutes

KEY FEATURES at a glance

Length	5000 mm
Length (including drawbar)	6320 mm
Height (on wheels)	2.9 m
Height (on ground)	2.5 m

Generator	6 kVA
Unladen Weight	2300 kg
Possible Gross Weight	3000 kg*
Solar Panel	Optional

Fresh Water	20 Litres
Waste Water	20 Litres
Toilet Tank Size	280 Litres
Fuel Tank Size	58 Litres



1 Canteen Area

Table and bench seating for up to 12-14 people

12V LED lighting with PIR

230V 1kW air blown heater

Warm water supplied by a 230V on-board heating system

Large stainless steel sink c/w warm water tap

230V single 2Amp socket outlet for charging mobiles and laptops

Generator start panel c/w hour run meter

Fresh & waste water containers (20 Ltr cap each)

12V pump for water system

12V sockets and USBs

Carbon monoxide monitor and smoke alarm

2 Toilet Area

Plastic recirculating toilet

12V LED lighting with PIR

Forearm wash basin c/w warm water tap

Warm water supplied by a 230V on-board heating system

3 Generator/ Warm Room

12V LED lighting with PIR

240V tubular heater

Access to fuel tank with separate fuel level gauge (58 Ltr cap)

Ventilation panel

Fuel Active system

Fuel tank runtime = approx. 25 hours

PART ECO


Option from **groundhog**

The latest concept in 12V technology delivers power to the LED lighting and USB sockets without the need for the generator to be running, resulting in **lower CO₂ emissions and reduced generator runtime.**


Part Eco units are fitted with 12V LED lighting complete with PIR sensors to automatically sense movement, turning lights on or off as required.

Situated in the canteen, toilet and generator room, this feature gives owners and end users savings by way of **reduced fuel usage, reduction in generator servicing, longer generator life, fewer breakdowns and reduced noise pollution.**

Featuring **BATTERY POWERED** LED lighting & USB sockets



Battery powered LED lighting



Battery powered 12V socket and USB

* Fully laden gross weight exceeds maximum towing capacity, unit should be transported to site prior to making site ready.