Anti-vandal, Mobile & Static Site Accommodation Units





Mobile & Static Welfare Unit Range

from Groundhog

Mindful of the environment, lightweight, compact & well equipped

Committed to delivering ingenuity, quality & reliability

- INNOVATION THAT WORKS

Continuous innovation in technology delivers cost effective and environmentally efficient, robust & easy to use anti-vandal, mobile and static welfare units





Welcome to the Groundhog range of mobile & static welfare units. These lightweight and compact units meet all HSE & CDM requirements and provide all of your on-site needs.

Whether you require mobile welfare units or more permanent welfare accommodation with office space, these Groundhog welfare units can be deployed, with the minimum of fuss, to provide your workforce with everything they require whilst saving you money on running costs.

Standard units

- > Easily towed and secured in less than 3 minutes
- > Spacious, well equipped canteen/ seating area
- > Warm water supplied by an on-board heating system
- > High security doors and windows
- > Meets HSE & CDM requirements

Fusion units

- > Reduced generator servicing
- > Reduced fuel usage
- > Longer generator life
- > Fewer breakdowns
- > Air blown heating system
- > Significantly reduced noise pollution
- > Warm water supplied by an on-board system

Fusion Pulse units



www.groundhog.co.uk

to view the full range and individual brochures on all

bespoke products



- > Huge reductions in water & fuel usage and carbon emissions
- > Genuinely increased engine service intervals with up to 80% reductions in generator run time











Mobile Units have obtained type approval with $\ensuremath{\textit{VCA}}$

Mobile & Static Welfare Units

from Groundhog





Mobile & Static 28
Unisex Two Toilet
Units

Innovating Welfare Design	30
Fusion Pulse System	
Optional Extras	
Bespoke Products	
Training & Support	



GP360^D

For full details on all our ranges please visit our website at www.groundhog.co.uk

Comfortable, compact and compliant, easily towed and secured in minutes saving time and money.

The single axle Groundhog Mobile Welfare Unit GP360D is a lightweight and compact towable unit that meets HSE & CDM requirements and provides all your on-site needs in one small package.

The units are suitable for accommodating six people, which provides pleasant and safe working environments, ideal for rental companies and contractors.

Easily towed, one man operation secured and manoeuvred on site, in less than 3 minutes. Its' many safety features make it a high secure and money saving choice of welfare unit.

- > Warm water supplied by an on-board heating system
- Spacious, well equipped canteen / 6 person seating area
- > Secured in less than 3 minutes
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Removable low level lifting eyes
- > Fully galvanised chassis

Specifications

> Dimensions:

- > Dimensions including drawbar: 4920mm (L) x 2300mm (W)*
- > Weight:

Unladen 1,700kg*Possible Gross: 1,815kg

3655mm (L) x 2300mm (W)*

regulations which guarantees certain facilities for contractors working on site.

Regulation 20 Sanitary Conveniences
Regulation 21 Washing Facilities
Regulation 22 Provision for Drinking Water
Regulation 23 Provision for Drying Clothing
Regulation 24 Facilities for Changing Clothing
Regulation 25 Facilities for Rest & to Eat Meals

The GP360^D complies with Health & Safety



- Table and bench seating for up to 6 people
- Microwave and kettle both hard-wired
- Fresh and waste water containers (20L cap each)
- Warm water supplied by on-board heating system
- Large stainless steel sink c/w warm water tap
- 12V pump for water system
- 1kW electric wall mounted heater
- 230V 600mm strip light
- Single 230V 2amp socket
- Consumer board c/w RCD & MCB's
- Generator control panel with hour run meter
- Paper towels, liquid soap and cup dispenser
- Carbon monoxide monitor and smoke alarm
- Fresh drinking water container (20L)
- High level vent

2. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- Toilet roll holder
- 12V LED light with PIR
- Warm water tap supplied by on-board heating system
- Liquid soap & paper towel dispenser

3. Warm Room / Generator Area

- 230V Bulkhead light
- 230V tubular heater
- Coat hooks
- Ventilation panel
- 6kVA diesel generator with exhaust venting through roof area
- Access to fuel tank with separate fuel level gauge (fuel tank capacity = 58L)
- Fuel Active system



Secured in less than 3 minutes

Easily towed, one man operation secured and manoeuvred on site. Its many safety features make it a high secure and money saving choice of welfare unit for rental companies and contractors.





Unhitch from towing vehicle and operate hydraulics using the push button controls



Lower unit to the ground and unplug controls



Close & lock canopy to protect towing facility

3 min



GP360 Fusion

The Groundhog **Mobile** Fusion is the latest concept in 12V technology delivering cost effective and environmentally efficient, robust & easy to use ground lowering, anti-vandal, site accommodation.

The GP360 Fusion offers the legendary robust and ease of use of the standard Groundhog GP360 whilst offering a green environmental solution. This gives owners and end users savings by way of reduced fuel usage, 60% reduction in generator servicing, longer generator life, fewer breakdowns and massively reduced noise pollution.

The units are suitable for accommodating six people, which provides pleasant and safe working environments, ideal for rental companies and contractors.

Easily towed, one man operation secured and manoeuvred on site, in less than 3 minutes. Its' many safety and environmental features make it a high secure and money saving choice of welfare unit.

- > Warm water supplied by an on-board heating system
- > Air blown heating system
- > Comfortably sits up to 6 people
- > Secured in less than 3 minutes
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Removable low level lifting eyes
- > Fully galvanised chassis



Specifications

> Dimensions: 4920mm (L) x 2300mm (W)*

> Weight:

- Table and bench seating for up to 6 people
- 12V LED lighting with PIR
- Air blown heating system
- Microwave and kettle both hard-wired
- Warm water supplied by on-board heating system
- Large stainless steel sink c/w warm water tap
- 12V cooler box (optional)
- Single inverter powered socket & USB connection
- Consumer board c/w RCD & MCB's
- Generator start panel c/w hour run meter
- Fresh & waste water containers (20 Ltr cap each)
- Carbon monoxide monitor and smoke alarm.
- Paper towels, liquid soap and cup dispenser
- 130Amp hour battery/ charger & battery guard

2. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Toilet tank size: 280L
- Toilet roll holder
- 12V LED lighting with PIR
- Forearm pedestal wash basin c/w warm water tap
- Warm water supplied by on-board heating system
- Liquid soap & paper towel dispenser

3. Warm Room / Generator Area

- 12V LED lighting with PIR
- Air blown heating system
- Coat hooks
- Ventilation panel
- 6kVA diesel generator with exhaust venting
- Access to fuel tank with separate fuel level gauge (58 Ltr cap)
- Fuel Active system
- Generator start battery


























Interior features that make the **GP360 Fusion**



GP360 Fusion control panel

GP360 Fusion control panel with battery indicator allows the user to control the heater temperature. Included is an inverter powered single socket.




Battery Guard with Pro Charge Ultra

Pro Charge Ultra (a) charges the 130A/hr battery when the generator is running. The Battery Guard (b) prevents the excessive discharge of the battery and protects electronic appliances against undervoltage.



Toilet wash area

Warm water outlet set over forearm wash basin with soap and paper towel dispensers.





Canteen wash area

Warm water outlet set over large sink with soap and paper towel dispensers.



12V LED PIR lighting

12V LED PIR lighting automatically senses movement turning lights on or off as required. Situated in the canteen, toilet and generator room.



Air blown heating system

The air blown heating system does not require the generator to run continuously due to the on-board battery system saving on fuel and servicing costs.

Heating outlets set in canteen and generator room.





Generator room outlet

Canteen outlets



GP500^D and **GP500** Fusion

For full details on all our ranges please visit our website at www.groundhog.co.uk


The Groundhog **GP500**Standard and Fusion
Range of Mobile Welfare
Units are ideal for flexible
on-site applications,
offering a larger seating
area, accommodating
up to 10 people.

The twin axle GP500 offers the robustness and ease of use of the Groundhog GP360 whilst providing additional seating area to accommodate a larger workforce.

The **GP500 Fusion** mobile welfare unit offers cost savings as the heating is supplied by an on board system which does not require the generator to run. The generator will only be required for microwave, kettle and hot water system.

- > Warm water supplied by an on-board heating system
- > Air blown heating system (Fusion only)
- > Spacious, well equipped Canteen / Seating Area
- > Comfortably sits up to 10 people
- > Secured in less than 3 minutes
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Removable low level lifting eyes
- > Fully galvanised chassis





Specifications

> Dimensions: 6320mm (L) x 2300mm (W)*

> Weight:

Unladen: 500D: 2,300 Kgs* Fusion: 2,400 Kgs*
 Possible Gross: 500D: 2,415 Kgs* Fusion: 2,515 Kgs*

- Table and bench seating for up to 10 people
- Air blown heating system (Fusion only)
- 1kW electric wall mounted heater (GP500D only)
- Microwave and kettle both hard-wired
- Large stainless steel sink c/w warm water tap
- Fresh & waste water containers (20 Ltr cap each)
- 230V 600mm strip light (GP500D only)
- 1 x 230V single 2amp socket (GP500D only)
- 12V LED lighting with PIR (GP500 Fusion only)
- Inverter powered socket and USB connection (GP500 Fusion only)
- Consumer board c/w RCD & MCB's
- Generator start panel c/w hour run meter
- Paper towels, liquid soap and cup dispenser
- Carbon monoxide monitor and smoke alarm
- High level vent
- Fresh drinking water container (20 Ltr)
- Volt meter (GP500 Fusion only)
- 130Amp hour battery/ charger & battery guard (GP500 Fusion only)

2. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- Liquid soap & paper towel dispenser
- Toilet roll holder
- 12V LED lighting with PIR
- Warm water supplied by on-board heating system

3. Warm Room / Generator Area

- 12V LED lighting with PIR (GP500 Fusion only)
- 230V bulkhead light (GP500D only)
- Air blown heating system (GP500 Fusion only)
- Tubular heater (GP500D only)
- Coat hooks
- Ventilation panel
- Generator start battery (GP500 Fusion only)
- 6kVA diesel generator with exhaust venting
- Access to fuel tank with separate fuel level gauge (58 Ltr capacity)
- Fuel Active system











GPO500 Welfare Office Fusion

For full details on all our ranges please visit our website at www.groundhog.co.uk


The mobile **GPO500 Welfare Office** offers all the latest standard features and benefits of the GP500 but with the added feature of a separate office.

The twin axle GPO500 offers the robustness and ease of use of the Groundhog GP500 but it also offers a separate spacious office for managerial/administration personnel, ideal for rental companies and contractors.

The GPO500 Fusion mobile welfare unit offers cost savings as the heating is supplied by an on board system which does not require the generator to run. The generator will only be required for microwave, kettle and hot water system.

- > Warm water supplied by an on-board heating system
- > Air blown heating system
- > Spacious, well equipped Canteen / Seating Area
- > Comfortably sits up to 8 people
- > Separate office space
- > Secured in less than 3 minutes
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Removable low level lifting eyes
- > Fully galvanised chassis





Specifications

> Dimensions: 6320mm (L) x 2300mm (W)*

> Weight:

> Unladen: **2,450 Kgs*** > Possible Gross: **2,565 Kgs***

contact Genquip for your bespoke value proposition

- Table and bench seating for up to 8 people
- Air blown heating system
- Warm water supplied by on-board heating system
- Microwave and kettle both hard-wired
- Fresh & waste water containers (20 Ltr cap each)
- Large stainless steel sink c/w warm water tap
- 12V LED Lighting with PIR
- Inverter powered socket and USB connection
- Consumer board c/w RCD & MCB's
- Generator start panel c/w hour run meter
- Paper towels, liquid soap and cup dispenser
- High level vent
- Fresh drinking water container (20 Ltr)
- Storage area under counter
- Volt meter
- 130Amp hour battery/ charger & battery guard

2. Office Area

- Air blown heating system
- 12V LED lighting with PIR
- Inverter powered double socket
- Desktop
- Document holder
- Notice and wipe clean board
- Smoke alarm
- Side window c/w steel security shutters
- Carbon monoxide monitor

3. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Warm water supplied by on-board heating system
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- · Liquid soap & paper towel dispenser
- Toilet roll holder
- 12V LED lighting with PIR

4. Warm Room / Generator Area

- 12V LED lighting with PIR
- Air blown heating system
- Coat hooks
- Ventilation panel
- 6kVA diesel generator with exhaust venting
- Access to fuel tank with separate fuel level gauge (58 Ltr cap)
- Fuel Active system
- Generator start battery









SW6100 Standard Range

For full details on all our ranges please visit our website at www.groundhog.co.uk

The Groundhog

Static SW6100

product range is incredibly robust and efficient incorporating all the latest standard features.

Groundhog Standard SW6100

The Standard SW6100 accommodates 8 people and provides a pleasant, spacious, restful environment, ideal for construction, rail and highways contractors.

Once lifted into position, the unit provides a vandal resistant accommodation and comes fitted with features such as a standard recirculating toilet, the latest warm water heating system, wall mounted heaters, microwave and kettle which are powered by an on-board 9.8kVA generator.

- > Warm water supplied by an on-board heating system
- > Spacious, well equipped Canteen / Seating Area
- > Comfortably sits up to 8 people
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Fixed low level lifting & fork pockets



The SW6100 complies with Health & Safety regulations which guarantees certain facilities for contractors working on site.

Regulation 20	Sanitary Conveniences	V
Regulation 21	Washing Facilities	V
Regulation 22	Provision for Drinking Water	V
Regulation 23	Provision for Drying Clothing	V
Regulation 24	Facilities for Changing Clothing	V
Regulation 25	Facilities for Rest & to Eat Meals	~

Specifications

> Dimensions: **6120mm (L) x 2755mm (W)***

> Weight:

Unladen: 4,000kg*Possible Gross: 4,300kg*

- Pleasant and light rest area
- Table and bench seating for up to 8 people
- Electric wall heater
- 10L 230V water heating system c/w 12V water pump
- Large stainless steel sink c/w warm water tap
- Microwave and kettle both hard-wired
- Fresh & waste water containers (20 Ltr cap each)
- 1 x 230V double socket & 1 x 230V single socket
- Consumer board c/w RCD & MCB's
- Paper towel dispenser
- Liquid soap dispenser
- Disposable cup dispenser
- Carbon monoxide monitor and smoke alarm
- High level vents
- 1000mm base unit
- 230V strip lighting
- 6 x 4 felt notice board

2. Drying Area


- 230V tubular heater
- High level window
- Coat hooks
- 230V strip lighting
- Generator service hatch
- Bench seating

3. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- Warm water supplied by on-board heating system
- Toilet roll holder
- 230V bulkhead light
- Liquid soap & paper towel dispenser

4. Generator Area

- 9.8kVA super silent diesel generator with exhaust outlet and ventilation
- 230V bulkhead light
- 300 litre diesel tank with filler neck and level gauge
- 3mm thick O/P (over-plain) diamond durbar plate flooring
- Generator hour run meter
- Generator start battery











SW6100 Fusion Range

For full details on all our ranges please visit our website at www.groundhog.co.uk

The Groundhog **Static SW6100**

Fusion range is incredibly efficient and incorporates all the latest environmental & safety technologies.


Groundhog SW6100 Fusion

The Fusion offers all the benefits of the standard SW6100 whilst offering a green environmental solution. This gives owners and end users savings by way of reduced fuel usage, reduced generator servicing, longer generator life, fewer breakdowns and massively reduced noise pollution.

- > Warm water supplied by an on-board heating system
- > Air blown heating system
- > Spacious, well equipped Canteen / Seating Area
- > Comfortably sits up to 8 people
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Fixed low level lifting & fork pockets







Specifications

> Dimensions: **6100mm (L) x 2755mm (W)***

> Weight:

> Unladen: 4,100kg*> Possible Gross: 4,480kg*

- Pleasant and light rest area
- Table and bench seating for up to 8 people
- Air blown heating system
- 10L 230V water heating system c/w 12V water pump
- Large stainless steel sink c/w warm water tap
- Microwave and kettle both hard-wired
- Fresh & waste water containers (20 Ltr cap each)
- 12V LED lighting with PIR
- 2 x inverter powered socket and USB connection
- 1 x 230V double socket & 1 x 230V single socket
- Consumer board c/w RCD & MCB's
- Generator control panel
- Paper towel dispenser
- Liquid soap dispenser
- Disposable cup dispenser
- Carbon monoxide monitor and smoke alarm
- High level vent
- 1000mm base unit
- 12V control panel c/w heater control and battery volt meter
- 6 x 4 felt notice board

2. Drying Area

- 12V LED lighting with PIR
- Air blown heating system
- Coat hooks
- Bench seating
- High level window

3. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- Warm water supplied by on-board heating system
- Toilet roll holder
- 12V LED lighting with PIR
- Liquid soap & paper towel dispenser

4. Generator Area

- 6kVA super silent diesel generator with exhaust outlet and ventilation
- 9.8kVA super silent diesel generator with 300L diesel tank, exhaust outlet and ventilation (optional)
- 12V generator start battery
- 200 litre diesel tank with filler neck and level gauge with Fuel Active system (6kVA only)
- 12V LED lighting with PIR
- 130Amp hour battery
- 12V 30Amp battery charger
- Battery guard with fuse panel













SWO7600 Standard Range

For full details on all our ranges please visit our website at **www.groundhog.co.uk**

The static SWO7600

offers all the latest standard features and benefits of the SW6100 but with the added feature of a spacious office.



Groundhog SWO7600 (with office)

If you require secure welfare and office space then the Standard SWO7600 is an ideal static unit. Along with the SW6100 Standard, it meets HSE & CDM requirements, offers anti-vandal features which include a steel personnel double locking door systems and internally secured steel window shutters, providing all your on-site needs in one compact, cost effective package.

The units are suitable for accommodating eight people, providing a pleasant on-site worker welfare environment but it also offers a separate spacious office for managerial/ administration personnel, ideal for rental companies and contractors.

Once lifted into position, they provide a vandal resistant facility and can come with a number of additional money saving features.

- > Warm water supplied by an on-board heating system
- > Comfortably sits up to 8 people
- > Low level lifting
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Fixed low level lifting & fork pockets

The SWO7600 complies with Health & Safety regulations which guarantees certain facilities for contractors working on site.

Regulation 20	Sanitary Conveniences	~
Regulation 21	Washing Facilities	~
Regulation 22	Provision for Drinking Water	~
Regulation 23	Provision for Drying Clothing	/
Regulation 24	Facilities for Changing Clothing	~
Regulation 25	Facilities for Rest & to Eat Meals	/

Specifications

> Dimensions: 7620mm (L) x 2755mm (W)*

> Weight:

> Unladen: 4,300kg*> Possible Gross: 4,600kg*



- Pleasant and light rest area
- Table and bench seating for up to 8 people
- Electric wall heater
- 10L 230V water heating system c/w 12V water pump
- Large stainless steel sink c/w warm water tap
- Microwave and kettle both hard-wired
- Fresh & waste water containers (20 Ltr cap each)
- 1 x 230V double socket & 1 x 230V single socket
- Consumer board c/w RCD & MCB's
- Paper towel dispenser
- Liquid soap dispenser
- Disposable cup dispenser
- Carbon monoxide monitor and smoke alarm
- High level vents
- 1000mm base unit
- 230V strip lighting
- 6 x 4 felt notice board

2. Drying Area

- 230V tubular heater
- High level window
- Coat hooks
- 230V strip lighting
- Generator service hatch
- Bench seating

3. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- Warm water supplied by on-board heating system
- Toilet roll holder
- 230V bulkhead light
- Liquid soap & paper towel dispenser

4. Generator Area

- 9.8kVA super silent diesel generator with exhaust outlet and ventilation
- 230V bulkhead light
- 300 litre diesel tank with filler neck and level gauge
- 3mm thick O/P (over-plain) diamond durbar plate flooring
- Generator hour run meter
- Generator start battery

5. Office Area


- Sliding window with steel shutters, which when closed are secured internally
- Notice and wipe clean board
- Office table and chair (optional)
- 230V strip lighting
- 230V double socket
- Flectric wall heater













SWO7600 Fusion Range

For full details on all our ranges please visit our website at www.groundhog.co.uk

The static SWO7600

offers all the cost effective and environmental features & benefits of the SW6100 but with the added feature of a spacious office.




If you require secure welfare and office space then the SWO7600 is an ideal static unit. Along with the SW6100, it meets HSE & CDM requirements, offers anti-vandal features which include a steel personnel double locking door systems and internally secured steel window shutters, providing all your on-site needs in one compact, cost effective package.

The units are suitable for accommodating eight people, which provides pleasant and safe working environments, ideal for rental companies and contractors.

Once lifted into position, they provide a vandal resistant facility and can come with a number of additional money saving features.

- Warm water supplied by an on-board heating systemAir blown heating system
- > Comfortably sits up to 8 people
- > High security doors & windows
- > Meets HSE & CDM requirements
- > Fixed low level lifting & fork pockets





Specifications

- > Dimensions: 7620mm (L) x 2755mm (W)*
- > Weight:
- > Unladen: 4,500kg*> Possible Gross: 4,800kg*

- Pleasant and light rest area
- Table and bench seating for up to 8 people
- Air blown heating system
- 10L 230V water heating system c/w 12V water pump
- Large stainless steel sink c/w warm water tap
- Microwave and kettle both hard-wired
- Fresh & waste water containers (20 Ltr cap each)
- 12V LED lighting with PIR
- 2 x inverter powered socket and USB connection
- 1 x 230V double socket & 1 x 230V single socket
- Consumer board c/w RCD & MCB's
- Generator control panel
- Paper towel dispenser
- Liquid soap dispenser Disposable cup dispenser
- Carbon monoxide monitor and smoke alarm
- High level vent 1000mm base unit
- 12V control panel c/w heater control and battery volt meter
- 6 x 4 felt notice board

2. Drying Area

- 12V LED lighting with PIR
- Air blown heating system
- Coat hooks
- Bench seating
- High level window

3. Toilet Area

- Plastic recirculating toilet c/w ventilation pipe
- Forearm pedestal wash basin c/w warm water tap
- Toilet tank size: 280L
- Warm water supplied by on-board heating system
- Toilet roll holder
- 12V LED lighting with PIR
- Liquid soap & paper towel dispenser

4. Generator Area

- 6kVA super silent diesel generator with exhaust outlet and ventilation
- 9.8kVA super silent diesel generator with 300L diesel tank, exhaust outlet and ventilation (optional)
- 12V generator start battery
- 200 litre diesel tank with filler neck and level gauge with Fuel Active system (6kVA only)
- 12V LED lighting with PIR
- 130Amp hour battery
- 12V 30Amp battery charger
- Battery guard with fuse panel

5. Office Area (SWO7600)

- Sliding window with steel shutters, which when closed are secured internally
- Air blown heating system
- 12V LED lighting with PIR
- 12V inverter sockets for use of laptops, printers and phone chargers only
- 230V electrical socket (9.8kVA only)
- Notice and wipe clean board
- Office table and chair (optional)
- Double glazing (optional)









SWO9700 Fusion Range

For full details on all our ranges please visit our website at **www.groundhog.co.uk**

Ť.

The **static SWO9700** Fusion offers all the cost effective and environmental features & benefits of the SWO7600 with the added feature of a spacious toilet, incorporating full eco flush & waterless urinal and increased space in the canteen area, which accommodates up to 12 people.

Groundhog SWO9700 (with office)

If you require secure welfare and office space with large toilet space and facilities, then the SWO9700 is an ideal static unit. Along with the SWO7600, it meets HSE & CDM requirements, offers anti-vandal features which include steel personnel double locking door systems and internally secured steel window shutters, providing all your on-site needs in one compact, cost effective package.

The units are suitable for accommodating twelve people, which provides pleasant and safe working environments, ideal for rental companies and contractors.

Once lifted into position, they provide a vandal resistant facility and can come with a number of additional money saving features.

- > Warm water supplied by an on-board heating system
- > Air blown heating system
- > Comfortably sits up to 12 people
- > Low level lifting
- > High security doors and windows
- > Meets HSE & CDM requirements
- > Fixed low level lifting & fork pockets



Specifications

> Dimensions: 9760mm (L) x 2755mm (W)*

Figures are for guidance only. For your own specific savings,

contact Genquip for your bespoke value proposition

Increased

generator

efficiency

Low noise

pollution

> Weight:

> Unladen> Possible Gross:**7,010kg***

1. Welfare Canteen Area

- Pleasant and light rest area
- Table and bench seating for up to 12 people
- Air blown heating system thermostatically controlled
- Warm water supplied by on-board 12V heating system
- Microwave and kettle both hard-wired
- Stainless steel sink with instant warm water
- Worktop storage (1,000mm) base unit
- Consumer board c/w RCD & MCB's
- Carbon monoxide monitor and smoke alarm
- Paper towels, liquid soap and cup dispenser
- 1,200 x 900mm notice board
- 2 x inverter powered socket and USB connection
- 1 x 230V double socket & 1 x 230V single socket
- 12V LED lighting with PIR

2. Drying Room

- 12V LED lighting with PIR
- Air blown heating system thermostatically controlled
- Bench seating and coat hooks
- 12V fuse board and inverter for sockets
- Diesel powered heating system
- 130Amp hour battery
- 12V 30Amp battery charger
- Battery guard
- High level window

3. Generator Room

- 9.8kVA super silent diesel generator with exhaust outlet and ventilation
- 300 litre diesel tank with filler neck and level gauge
- 600L fresh water tank and 650L waste tank
- 12V LED lighting with PIR
- Frost stat
- Generator start battery
- Air blown heating system

4. Toilet Area

- Waterless urinal / Eco full flush ceramic toilet
- Ceramic hand wash basin with warm water tap
- Warm water supplied by on-board 12V heating system
- Toilet roll holder / mirror
- 12V LED lighting with PIR
- Liquid soap and paper towel dispenser
- High level window
- Waste tank level indicator

5. Office Area (SWO9700)

- Sliding window with steel shutters, which when closed are secured internally
- Can accommodate 2 people
- Air blown heating system thermostatically controlled
- 12V LED lighting with PIR
- 12V inverter sockets for use of laptops & battery charging
- 230V double socket (9.8kVA only)
- Notice and wipe clean board
- Office table and chair (optional)









Mobile Office Units

The single and twin axle
Groundhog Mobile Office Units
are lightweight towable units
and have a good economic use
of space and provide suitable
on-site office and canteen
accommodation.

Groundhog Welfare Unit G360 Office

The units comes equipped with a wall mounted heater, lighting and double power socket as standard, optional features include warm wash set over large sink, storage under worktop, coat hooks and notice board, providing a pleasant environment for office and canteen use.

The mobile office unit is easily towed, and can be deployed by a one man operation. Its' many safety features make it a high secure and money saving choice for rental companies and contractors.

Specifications

Single axle:

- > Dimensions: 4820 (L) x 2300 (W)
- > Weight:
- > Unladen: 1,450kg (approx.)*
- > Possible Gross: 1,800kg*

Twin axle:

- > Dimensions:
 - 6250 (L) x 2300 (W)
- > Weight:
- > Unladen: 1,800kg (approx.)*
- > Possible Gross: 3,000kg*







- > Electric wall mounted heater
- > Warm wash set over large sink
- > Sliding window with steel shutters
- > Meets HSE & CDM requirements
- > Removable low level lifting eyes

External


- 4 lifting eyes 240v appliance inlet
- 4 stabilising arms Galvanised retractable steps
- Sliding window with steel shutters

Office Area

- Electric wall mounted heater 1KW
- Open plan working area as standard
- Warm wash optional 240V strip lighting
- 1 x double 13Amp socket outlet

Optional extras

- Coat and hat hooks 6x4 Notice board
- Additional double socket
 1000mm base c/w worktop
- Auto wash system with large stainless steel sink



Mobile **Secure Store** Units

For full details on all our ranges please visit our website at **www.groundhog.co.uk**


The Groundhog Mobile Storage Units are perfect for all types of contractors who need fast, easily transported and deployed effective site security.

Ground lowering, anti-vandal, mobile, site storage unit

Groundhog's Mobile Secure Storage Units are built using proven techniques and are a perfect solution for on-site storage, providing a safe environment for tools and equipment.

- > Units are built using proven techniques
- > Fully welded, anti-vandal
- > Colours in own livery colours
- > Superior security each mobile unit is fitted with hidden hinges, three point locking and Hercules Chubb locks
- Huge savings on transport costs as units can be towed by company vehicles (no HIAB required)
- > Removable low level lifting eyes









Specifications

Specifications				
	G3600S	G3600ST	G5000ST	G6000ST
External dimensions L x W x H (mm)	4920 x 2300 x 2370	5200 x 2300 x 2370	6320 x 2300 x 2370	7600 x 2300 x 2370
Overall towing height	2685 mm	2685 mm	2685 mm	2685 mm
Height lowered	2370 mm	2370 mm	2370 mm	2370 mm
Internal dimensions $L \times W \times H (mm)$	3400 x 2170 x 2000	3400 x 2170 x 2000	4800 x 2170 x 2000	5800 x 2170 x 2000
Door aperture W x H (mm)	1900 x 1860	1900 x 1860	1900 x 1860	1900 x 1860
Gross weight	1800 kg*	3500 kg*	3500 kg*	3500 kg*
Unladen weight (without optional extras)	1250 kg*	1600 kg*	1850 kg*	2000 kg*
Payload	550 kg*	1900 kg*	1650 kg*	1500 kg*









Unisex Solar Hybrid Toilet

For full details on all our ranges please visit our website at www.groundhog.co.uk


The demountable or fixed to trailer **Solar Hybrid Toilet** is the latest concept in 12 Volt technology delivering cost effective and environmentally friendly, robust & easy to use **mobile** toilet facilities.

The Groundhog anti-vandal Solar Hybrid Toilet Unit has an in-built effluent tank, so there is no need to hire separate effluent tanks saving you time and money.

Robust and incredibly efficient, these Solar Hybrid Toilets offer huge reductions in fuel usage, carbon emissions and service schedules. Incorporating all the latest environmental and safety technologies, these units are ideal for the ever increasing demands of the event and hire industry.

- > Low flush eco toilet
- > One male and one female toilet
- > Waterless urinal trough
 - 100% reduction in water usage
- > Demountable or fixed to trailer
- > Rain harvester tank for toilet flush 61 Litres
- > Powered by roof mounted solar panels with generator back up





Specifications

- > Dimensions:
 - 3655mm (L) x 2300mm (W)*
- > Dimensions including drawbar: 4920mm (L) x 2300mm (W)*
- > Unladen weight: 3,000kg*
- > Possible Gross weight: 3,500kg*

1. Male Toilet Area

- Low flush eco toilet
- 1200mm waterless urinal
- 1200mm stainless steel wash trough with two warm water taps
- Warm water supplied by on-board heating system
- 130Amp hour battery/ charger & battery guard
- 12V LED lighting with PIR
- · Air blown heating system
- 325 litre upright fresh water tank
- High level security windows c/w security mesh guard
- Battery storage/ heating controls
- Liquid soap & paper towel dispenser
- Effluent tank level indicator

2. Female Toilet Area

- Low flush eco toilet
- 400 litre waste tank
- Toilet roll holder
- 12V LED lighting with PIR
- Hand wash station with hot tap
- Warm water supplied by on-board heating system
- Liquid soap & paper towel dispenser
- Effluent waste outlet
- High level security windows c/w security mesh guard


3. Generator Area

- 12V LED lighting with PIR
- Air blown heating system
- Ventilation panel
- 6kVA diesel generator with exhaust venting
- Fuel Active system
- Access to fuel tank with separate fuel level gauge (100 Ltr cap)
- Generator start battery
- Fuel tank runtime = approx. 50 hours
- 61 litre rain harvester collection tank
- 3" gate valve (for direct emptying of waste tank)

Easily deployed

• Can be safely towed to site and left fixed on the trailer or demounted as a static stand-alone toilet block







Unisex Two Toilet Units

For full details on all our ranges please visit our website at www.groundhog.co.uk



Our continuous improvements to on site accommodation now feature **toilet facilities for male and female workers**. The Groundhog **mobile GP500**, **GPO500** & **static SWO7600** products come fully equipped with **two toilets**, with a choice of recirculating or full flush systems.

Each unit **complies with current regulations** and has a good economic use of space. These lightweight units are **secured in minutes** providing pleasant & safe working environments, making them a high secure choice of anti-vandal welfare unit.



Innovating Welfare Design.

We are constantly improving the Groundhog product range to ensure **all our units meet ongoing legislation** and remain as **robust** and **easy to use** as ever.

Our Fusion Pulse range offers the following **environmental** and **cost saving** benefits:





Reduced fuel costs **UP TO 80%**





LOW NOISE POLLUTION







MOBILE GPO500 TWIN TOILET






Specification	GP 500 STANDARD TWINTOILET	GPO500 FUSION PULSE TWIN TOILET	SWO7600 STANDARD FULL FLUSH TWIN TOILET	SWO7600 FUSION PULS FULL FLUSH TWIN TOILET
	6kVA Generator	6kVA Generator	9.8kVA Generator	9.8kVA Generator
1. WELFARE AREA				<u> </u>
Table and bench seating	Up to 8 people	Up to 5 people	Up to 8 people	Up to 8 people
Air blown heating system	N/A	Ф то э реорге	N/A	Ф то о реоріс
230V water heating system c/w 12V water pump	•	•	•	•
Large stainless steel sink c/w warm water tap	•	•	•	•
Microwave and kettle – both hard-wired	•	•	•	•
Fresh & waste water containers (20 litre each)	•	•	•	N/A
20 Ltr drinking water container	•	•	•	•
12V LED lighting with PIR	N/A	•	N/A	•
Inverter powered socket and USB connection	N/A	•	N/A	•
230V electrical socket	N/A	N/A	1 x double	1 x double
	-	10/7	+ 1 x single	+ 1 x single
Consumer board c/w RCD & MCB's	•	•	•	•
Generator control/ start panel	•	•	•	•
Paper towels, liquid soap and cup dispenser	•	•	•	•
Carbon monoxide monitor and smoke alarm	•	-	•	•
High level vent	• N//A	• NI/A	•	•
1000mm base unit	N/A	N/A	•	•
6 x 4 felt notice board	N/A	N/A		
130Amp hour battery/ charger & battery guard	N/A	• N//A	N/A	N/A
Down flow heater	N/A	N/A	•	N/A
2. DRYING AREA (SWO7600 static unit	•	NI/A	N1/A	
12V LED lighting with PIR	N/A	N/A	N/A	•
Air blown heating system	N/A	N/A	N/A	•
Coat hooks	N/A	N/A	•	•
Bench seating High level window	N/A	N/A	•	•
3. WARM ROOM / GENERATOR AREA	N/A	N/A	•	_
12V LED lighting with PIR	N/A	•	N/A	•
Air blown heating system	N/A		N/A	N/A
Coat hooks	IV/A	•	N/A	N/A
		-	N/A	IV/A
Ventilation panel Access to fuel tank with separate fuel level gauge	58 Ltr	58 Ltr	300 Ltr	300 Ltr
Fuel Active system	30 Eti	58 Eti	N/A	N/A
Generator start battery	N/A	•	•	IVA
4. OFFICE AREA	1477			
Sliding window with steel shutters	N/A	•	•	•
Air blown heating system	N/A	•	N/A	•
12V LED lighting with PIR	N/A		N/A	•
Inverter powered socket	N/A	•	N/A	•
230V electrical socket	N/A	N/A	•	•
Carbon monoxide monitor and smoke alarm	N/A	•	N/A	N/A
Notice and wipe clean board	N/A	•	•	•
Office table and chair	N/A	Optional	Optional	Optional
Down flow heater	N/A	N/A	•	N/A
Double glazing	N/A	N/A	•	•
5. TOILET AREAS				
Eco full flush ceramic toilet	-	-	•	•
Ceramic hand wash basin with warm water tap	-	-	•	•
Plastic recirculating toilet c/w ventilation pipe	•	•	-	-
Forearm pedestal wash basin c/w warm water tap	•	•	-	_
Mana area established	•	•	•	•
Warm water supplied by on-board heating system			N/A	
	•	•	IV/A	
heating system	•	•	•	•
heating system 12V LED lighting with PIR	N/A 280L			350L 400L

Innovating welfare design









FULLY HOT-DIPPED GALVANISED CHASSIS

Helps to prevent rust and corrosion, which leads to increased safety and reduced maintenance and repair costs.



PROTECTIVE SHROUD OVER DRAWBAR (NOSE CONE)

Protecting the unit against vandalism and theft.

ENHANCED INTERIOR

Seat bases constructed from WISA®-Multiwall, a high quality plastic coated wall lining panelling ideal for the construction industry.

Easy to clean with water and detergent	~
UV resistance to prevent colour fading	✓
Taint and odour free	✓
Elastic, non-cracking coating	✓
Does not contain any chlorine	~
Good chemical resistance (standard ISO 175)	~







Highly efficient 130amp power AGM battery, charged via intelligent solar power system with built in controller.







RECYCLED NON-SLIP PLASTIC FLOORING

One of the most innovative new building materials to hit the UK market in recent years – environmentally-friendly and economical, light weight and durable, impervious against spillage of: diesel fuel / oil / detergents / road spray.



Unlike conventional flooring, Groundhog flooring is MAINTENANCE FREE.

Significantly longer lasting	✓	Chew resistant and non-toxic to animals	✓
Rot and weather proof	✓	Graffiti proof	✓
Tough and durable	✓	Acid and chemical resistant	✓



THE FUSION PULSE SYSTEM: Intelligent Solar Technology



Building on the success of our green innovation and customer feedback, Groundhog has developed the **Fusion Pulse** range of mobile ECO-Welfare units, featuring **hybrid solar technology**.

All units remain as **robust** and **uncomplicated** as ever, while improving **environmental efficiency** and **increasing cost savings** for you.



Increasing eco-efficiency and saving you money

The latest concept in **hybrid solar technology** delivers cost effective, environmentally efficient, robust & easy to operate **Anti-Vandal, Mobile & Static Welfare Units**

Environmental features give owners and end users **improved** chances of winning contracts through greater sustainability and cost savings by way of reduced fuel usage, 80% reduction in generator servicing, longer generator life, fewer breakdowns and massively reduced noise pollution.




Innovating Welfare Design.



Easy to operate, environmentally efficient and cost effective.

Highly efficient 130amp power AGM battery, charged via intelligent solar power system built in controller, backed up by an on-board power silenced generator – ensures optimum performance is maintained when in use and unmanned.





Generator NOT needed

for the operation of LED lights and heating system

The units are powered by solar technology, with generator backup, charging the 12V battery.

This allows the LED lighting, diesel powered heating system and inverter powered electrical sockets to be operational and also dispenses warm water in toilet and canteen

 all without the need for the generator to be running.*











UP TO 80%



INCREASED ECO-EFFICIENCY

SAVES YOU MONEY

fuel usage, 80% reduction in generator servicing, longer generator life, fewer breakdowns and massively reduced noise pollution.

Optional Extras

✓ = Comes as standard

= Available as an optional extra












Stand	ard Units	GP360D STANDARD	GP 500 D STANDARD	SW6100 STANDARD	SWO 7600 STANDARD	MOBILE OFFICE
BODY	Galvanised chassis	~	4			
	Solar panel system					•
	Chapter 8 chevrons to rear	•	•			•
	12V external floodlight					
	Corporate branding signage/paint	•	•	•	•	•
	Spare wheel & tyre	•	•			•
	Double glazed window			•	•	
	Additional window			•	•	
	External steel hatch c/w mains sewer diverter valve					
INTERNAL	12V LED lighting complete with PIR throughout	•	•	•	•	
	Tracking & telemetry	•	•	•	•	
	Eco flush toilet c/w fresh water tank & underfloor waste tank	•	•	•	•	
	Additional oil filled radiator			•	•	
	12V cool box					
	Microwave & kettle	✓	✓	✓	✓	•
	1000mm Base unit with sink, hot wash, external water inlet & waste connection					•
	Coat and hat hooks	✓	✓	✓	✓	•
	6x4 notice board			✓	✓	•
INSULATION	Insulated floor (polystyrene)			•	•	
	50mm rockwool insulation to wall, floor & ceiling			•	•	
POWER	Single inverter powered socket & USB connection in canteen area	•	•	•	•	
	110V transformer & 16amp 110V socket outlet			•	•	
	240V mains power & 32amp inlet with selector switch			•	•	
	9.8kVA generator c/w 300lt fuel tank			✓	✓	
	Additional 230V socket in welfare area					•
	Double 230V socket in office area					
PACKAGES	Safety pack	•	•	•	•	•
	Startup site ready kit	•	•	•	•	•







Units	Fusion	SWO 9700 FUSION	SWO 7600 FUSION	SW 6100 FUSION	GPO 500 FUSION	GP 500 FUSION	GP 360 FUSION
BODY	Galvanised chassis		:		✓	✓	✓
	Solar panel system	•	•	•	•	•	•
	Chapter 8 chevrons to rear				•	•	•
	12V LED external floodlight	•	•	•	•	•	•
	Corporate branding signage/paint	•	•	•	•	•	•
	Spare wheel & tyre				•	•	•
	Double glazed window	•	•	•			
	Additional window	•	•	•			
	External steel hatch c/w mains sewer diverter valve	•					
INTERNAL	12V LED lighting complete with PIR throughout	✓	✓	✓	✓	✓	✓
	Tracking & telemetry	•	•	•	•	•	•
	Eco flush toilet c/w fresh water tank & underfloor waste tank	✓	•	•	•	•	•
	Additional oil filled radiator						
	12V cool box	•	•	•	•	•	•
	Microwave & kettle	✓	✓	✓	✓	✓	✓
	1000mm Base unit with sink, hot wash, external water inlet & waste connection						
	Coat and hat hooks	✓	✓	✓	✓	✓	✓
	6x4 notice board	✓	✓	✓			
INSULATION	Insulated floor (polystyrene)	•	•	•			
	50mm rockwool insulation to wall, floor & ceiling	•	•	•			
POWER	Single inverter powered socket & USB connection in canteen area	•	•	•	✓	✓	✓
	110V transformer & 16amp 10V socket outlet	•					
	240V mains power & 32amp inlet with selector switch	•	•	•			
	9.8kVA generator c/w 300lt fuel tank	✓	•	•			
	Additional 230V socket in welfare area		•	•			
	Double 230V socket in office area		•	•			
PACKAGES	Safety pack	•	•	•	•	•	•
	Startup site ready kit	•	•	•	•	•	•









Bespoke products

Mobile & Static Units tailored to your individual requirements

We are at the forefront of welfare innovation – **groundhog** have the experience, the expertise and the facilities to design and build highly specialised units, constructed to meet your specific requirements.





Successfully realised bespoke projects have included:

- Rail Specific Welfare Fusion
- Fixed Axle All Terrain Unit
- Mobile Detention Unit
- 2+1 Toilet Units
- Anti-Vandal Modular Villages
- Static Toilet Units
- Fire Training Units
- Solar Powered Virtual Office Units
- Scientific Study Units/

Nuclear Solutions

Solar Powered Virtual

Office Units

- Hogbutt Rainwater Collection & Filtering Units
- Power Plant Units
- Hook Lift Units





Mobile Detention Units





Shipping Container



Static Toilet Units







Hogbutt Units

Guardhog Mobile Security Units

Power Plant Units











Training & Support

To ensure safe use & maintenance of **Mobile & Static** Anti-Vandal Welfare Accommodation Units



Detailed and focused training for all Groundhog Welfare Units, covering all aspects of safety, servicing and maintenance, leading to greater on-site safety for your customers and prolonged longevity for your unit.

Training includes:

- Training performed at Groundhog factory or clients' premises
- Standard Health and Safety information
- Operating instructions (deployment)
- Under gear maintenance Fault finding
- Wheel replacement Pre-hire checks
- Generator engine maintenance
- Towing checks/ legislations













For more information on the Groundhog Mobile Welfare Unit training, please contact us on:

Leading the way in

Service | Quality Design | Innovation













































Genquip Ltd

Aberafan Road, Baglan Industrial Park, Port Talbot SA12 7DJ

Tel 01639 823484 Fax 01639 822533 Email sales@genquip.co.uk

www.groundhog.co.uk